

CODE3 Improved Functional Outcome Assessment for Foot/Ankle Repair

Percentage of patients aged 18 years and older with primary foot/ankle repair who completed baseline and follow-up (patient-reported) functional status assessments that reported a non-trivial improvement in functional status.

2018 OPTIONS FOR INDIVIDUAL MEASURES:

CODE Technology, SCG Health

NATIONAL QUALITY STRATEGY DOMAIN: Person and Caregiver-Centered Experience and Outcomes

MEASURE TYPE: High Priority

DENOMINATOR:

Denominator criteria (Eligible Cases):

Patients with patient-reported functional status assessment results not more than 180 days prior to the primary foot/ankle repair procedure, and at least 60 days and not more than 180 days after the procedure.

Denominator Exclusions:

Patients with multiple traumas at the time of the procedure or patients with severe cognitive impairment.

NUMERATOR:

Patients with patient-reported functional status assessment results not more than 180 days prior to the primary foot/ankle repair procedure, and at least 60 days and not more than 180 days after the procedure that demonstrated at least a 10% increase in their functional outcomes.

WHAT DATA SOURCES ARE USED FOR THE MEASURE? Administrative claims, Administrative clinical data, Claims, EHR, Paper medical record, Record review, Survey

STEWARD: CODE Technology

OF PERFORMANCE RATES TO BE SUBMITTED IN THE XML: 1

Indicate an Overall Performance Rate if more than 1 performance rate is to be submitted: NA

INVERSE MEASURE: No

PROPORTION MEASURE SCORING OR CONTINUOUS MEASURE SCORING

RISK ADJUSTED: No

COPYRIGHT:

The Measures are not clinical guidelines, do not establish a standard of medical care, and have not been tested for all potential applications.

CODE Technology encourages use of the Measures by other health care professionals, where appropriate. Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary coding sets should obtain all necessary licenses from the owners of these code sets. CODE Technology disclaims all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

This measure is in continuous development by CODE Technology.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by healthcare providers in connection with their practices). Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and CODE Technology. CODE Technology shall not be responsible for the implementation of the Measures.

CPT® contained in the Measures specifications is copyright 2004-2016 American Medical Association. All Rights Reserved.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.